## Bye-Election to the Legislatives Assemblies from 55-Champawat assembly constituency of District Champawat, Uttarakhand

Name of State: UTTARAKHAND.

S.L.	Parameters	Figures		
1.	Area (in Square Km)			
	A- District Champawat	1,766 Sq. KM.		
	B- AC Champawat	1,022 Sq. KM		
2.	2011 Census Population:			
	A- District Champawat	Total = 2,59,648		
		Male=1,31,125		
		Female=1,28,523		
	B- AC Champawat	Total =1,23,757		
	·	Male=62,499		
		Female=61,258		
	Projected Population (as on 01.01.2022)			
	C- District Champawat	Total =2,84,206		
	·	Male=1,43,527		
		Female=1,40,679		
	D- AC Champawat	Total =1,35,462		
	'	Male=68,410		
		Female=67,052		
3.	Population Density District Champawat	147		
4.	Revenue Divisions	Kumaon)		
5.	No. of Electoral District	01-Champawat		
6.	No. of Police District	01 Total: = 01		
7.	No. of Police Commissionerate	0 Total. = 01		
8.	Parliamentary Constituencies	03-Almora (SC) PC		
9.	Assembly Constituency	55-Champawat		
10.	No. of Polling Stations (Main+Auxiliary)	151		
11.	No. of Polling Station Locations	123		
12.	Total Electors	96,213		
13.	Male Electors	50,171		
14.	Female Electors	46,042		
15.	Third Gender Electors	0		
16.	Gender Ratio of Electoral Roll	918		
17.	EP Ratio	780		
18.	Service Electors	Total=1,406		
		Male =1,345		
		Female =61		
19.	80+ Electors	Total= 1,471		
		Male =592		
		Female =879		
		TG= 0		
20.	PwD Electors	1,000		
21.	Overseas Electors	0		

22.	Lok Sabha General Election 2019 VTR	Total= 61.08%	
			Male= 56.77%
		F	emale= 65.77%
			TG= 0%
23.	Assembly General Election 2012 VTR		Total= 60.89%
			Male= 56.02%
		F	emale= 66.25%
24.	Assembly General Election 2017 VTR		Total= 66.40%
			Male= 60.08%
		F	emale= 73.35%
			TG= 0%
25.	Assembly General Election 2022 VTR	Tot	
			Male= 61.47%
		F	emale= 70.94%
			TG= 0%
26.	AMF Status: -		
	A. Drinking Water %		100%
	B. Electricity %		100%
	C. Toilet %		100%
	D. Shade %		100%
	E. Ramp%	100%	
	F. Furniture%	100%	
27.	EVM / VVPAT(ECIL):-		
	A. Total No. BU Required = 302 (200%)	Available	433
	B. Total No. CU Required = 302 (200%)	FLC Ok	424
	C. Total no. VVPAT Required = 302 (200%)		391